

This schedule is recommended as a general guideline for product usage. Take local biotic and abiotic conditions into account when using this schedule.



**ROOTBASTIC**

0,1 - 0,3 ml/L

---

---

---

---

**ATAZYME**



---

1 - 3 ml/L

1 - 3 ml/L

1 - 3 ml/L

1 - 3 ml/L



**AWA LEAVES**

A: 1 - 2,5 ml/L  
B: 1 - 2,5 ml/L

---

---

---

---

**AWA MAX**



---

A: 2 - 4 ml/L  
B: 2 - 4 ml/L

A: 3 - 4 ml/L  
B: 3 - 4 ml/L

A: 3 - 4 ml/L  
B: 3 - 4 ml/L

A: 3 - 4 ml/L  
B: 3 - 4 ml/L



**BLOOMBASTIC**

---

---

0,5 - 1 ml/L

0,5 - 1 ml/L

0,5 - 1 ml/L

**CALMAG**



0,1 - 1 ml/L

0,1 - 1 ml/L

0,1 - 1 ml/L

0,1 - 1 ml/L

0,1 - 1 ml/L



**B'CUZZ SILIC BOOST**

0,1 ml/L

0,1 ml/L

0,1 ml/L

0,1 ml/L

0,1 ml/L